

## EAST Search History

| Ref # | Hits    | Search Query   | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|---------|--|--|------------------|---------|------------------|
| L1    | 6404781 | @ad<"20030702"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR               | ON      | 2006/10/07 10:28 |
| L2    | 65      | L1 and convert near2 format same encrypt\$5  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR               | ON      | 2006/10/07 10:29 |
| L3    | 36      | L1 and convert near2 format same decrypt\$5  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR               | ON      | 2006/10/07 10:29 |
| S1    | 6404781 | @ad<"20030702"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR               | ON      | 2006/10/05 10:03 |
| S2    | 626     | S1 and convert\$4 near4 (file data) near4 format\$3 and encrypt\$5 near4 (file data) and ((file data storage) near2 (server))        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR               | ON      | 2006/10/05 12:37 |
| S3    | 1267    | S1 and convert\$4 near4 (file data) near4 format\$3 and encrypt\$5 near4 (file data) and ((file data storage) near2 (server system)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR               | ON      | 2006/10/05 10:04 |
| S4    | 248     | S3 and encrypt\$5 with public adj key  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR               | ON      | 2006/10/05 10:05 |
| S5    | 12262   | S4 adn counter adj key   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR               | ON      | 2006/10/05 10:05 |
| S7    | 103     | S4 and digital adj signature   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR               | ON      | 2006/10/05 10:06 |

## EAST Search History

|     |         |  |  |    |    |                  |
|-----|---------|--|--|----|----|------------------|
| S8  | 80      | S1 and convert\$4 near4 (file data) near4 format\$3 same database and encrypt\$5 near4 (file data) same database | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/10/05 14:39 |
| S9  | 132     | S1 and convert\$4 with ebcdic with ascii   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/10/06 10:24 |
| S10 | 0       | S9 and counter adj key   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/10/05 14:41 |
| S11 | 1       | "20050005091"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/10/05 14:41 |
| S12 | 6404781 | @ad<"20030702"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/10/06 10:25 |
| S13 | 37      | S12 and first near2 (client system) same second near2 (client system) same public adj key and symmetric          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/10/06 11:42 |
| S14 | 3       | S12 and storage with volume with (compan\$5) same server   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/10/06 12:14 |
| S15 | 154     | "34954"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/10/06 12:54 |
| S16 | 1       | S12 and (send\$4 sent transmit\$5) near2 (digital adj signature) with out near2 band                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/10/06 12:55 |
| S17 | 2       | S12 and (send\$4 sent transmit\$5) near2 (digital adj signature) same out near2 band                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/10/06 12:57 |

## EAST Search History

|     |   |   |  |    |    |                  |
|-----|---|---|--|----|----|------------------|
| S18 | 1 | S12 and (send\$4 sent transmit\$5)<br>near2 (digital adj signature) same<br>separate near2 (message data) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/10/06 12:57 |
| S19 | 1 | S12 and (send\$4 sent transmit\$5)<br>near2 (digital adj signature) with<br>separate near2 (message data) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/10/07 10:28 |